

# Certificate

This is to certify that **Kembla (HK) Limited**

ABN Not Applicable

Head Office Address 5/F, Henan Building  
90 Jaffe Road  
Wan Chai  
Hong Kong

Holds Certificate Number **BMP 725675**

Is authorised to use the BSI registered Benchmark Product Certification Trademark, on products identified in the Product Certification Schedule that is attached to this Product Certification Certificate. Such products have been Type Tested and are manufactured under the Product Certification Requirements monitored by BSI to ensure that the manufacturing process has the capability to consistently produce products in compliance with and are Certified to:

BS EN 1254-1:1998 Copper and copper alloys – Plumbing Fittings Part 1: Fittings with ends for capillary soldering or capillary brazing to copper tubes

BS EN 1254-5:1998 Copper and copper alloys – Plumbing fittings Part 5: Fittings with short ends for capillary brazing to copper tubes

For and on behalf of BSI

  
\_\_\_\_\_  
Marc Barnes, Managing Director, BSI Group ANZ Pty Ltd

Originally registered  
14/07/2021

Latest issue  
19/07/2021

Expiry date  
13/07/2026



...making excellence a habit.

# Schedule

This schedule supports the Product Certification Certificate for  
**Kembla (HK) Limited**  
 ABN **Not Applicable**  
 Head Office Address **5/F, Henan Building  
 90 Jaffe Road  
 Wan Chai  
 Hong Kong**  
 Holds Certificate Number **BMP 725675**  
 Standard **BS EN 1254-1:1998  
 Copper and copper alloys – Plumbing Fittings Part 1: Fittings with ends for capillary soldering or capillary brazing to copper tubes**  
**BS EN 1254-5:1998  
 Copper and copper alloys – Plumbing fittings  
 Part 5: Fittings with short ends for capillary brazing to copper tubes**  
 Issue date **19/07/2021**

Model	BSI Review Date	Description for <b>BS EN 1254-1:1998 certified products</b>
ECC	8/7/2021	Straight Coupler Size Range: 15mm, 22mm, 28mm, 35mm, 42mm, 54mm, 67mm, 76mm, 108mm
EEFS	8/7/2021	45 deg. Elbow Size Range: 15mm, 22mm, 28mm, 35mm, 42mm, 54mm, 67mm, 76mm, 108mm
EENS	8/7/2021	90 deg. Elbow Size Range: 15mm, 22mm, 28mm, 35mm, 42mm, 54mm, 67mm, 76mm, 108mm
EKK	8/7/2021	Stop End Size Range: 15mm, 22mm, 28mm, 35mm, 42mm, 54mm
ENN	8/7/2021	Fitting Reducer Size Range: 22x15mm, 28x15mm, 28x22mm, 35x22mm, 35x28mm, 42x22mm, 42x28mm, 42x35mm, 54x22mm, 54x28mm, 54x35mm, 54x42mm, 67x28mm, 67x35mm, 67x42mm, 67x54mm, 76x42mm, 76x54mm, 76x67mm, 108x54mm, 108x67mm, 108x76mm

BMP 725675  
 19/07/2021 Page 2 of 5



...making excellence a habit.

# Schedule

Model	BSI Review Date	Description for <b>BS EN 1254-1:1998 certified products</b>
ERR	8/7/2021	Reducer Coupler Size Range: 22x15mm, 28x15mm, 28x22mm, 35x15mm, 35x22mm, 35x28mm, 42x22mm, 42x28mm, 42x35mm, 54x22mm, 54x28mm, 54x35mm, 54x42mm, 67x28mm, 67x35mm, 67x42mm, 67x54mm, 76x35mm, 76x42mm, 76x54mm, 76x67mm, 108x42mm, 108x54mm, 108x67mm, 108x76mm
ETE	8/7/2021	Equal Tee Size Range: 15mm, 22mm, 28mm, 35mm, 42mm, 54mm, 67mm, 76mm, 108mm
ETR-BER	8/7/2021	Reduced End Tee Size Range: 22x22x28mm
ETR-RB	8/7/2021	Reduced branch Tee Size Range: 22x22x15mm, 28x28x15mm, 28x28x22mm, 35x35x15mm, 35x35x22mm, 35x35x28mm, 42x42x15mm, 42x42x22mm, 42x42x28mm, 42x42x35mm, 54x54x15mm, 54x54x22mm, 54x54x28mm, 54x54x35mm, 54x54x42mm, 67x67x22mm, 67x67x28mm, 67x67x35mm, 67x67x42mm, 67x67x54mm, 76x76x22mm, 76x76x28mm, 76x76x35mm, 76x76x42mm, 76x76x54mm, 76x76x67mm, 108x108x22mm, 108x108x28mm, 108x108x35mm, 108x108x42mm, 108x108x54mm, 108x108x67mm, 108x108x76mm
ETR-RE	8/7/2021	Reduced End Tee Size Range: 22x15x22mm, 28x22x28mm
ETR-REB	8/7/2021	Reduced End Tee Size Range: 22x15x15mm, 28x22x22mm, 35x28x28mm
REN	8/7/2021	90 deg. Elbow-Reduction Size Range: 22x15mm
SCC	8/7/2021	Straight Coupling Size Range: 15mm, 22mm, 28mm, 35mm, 42mm, 54mm
SEF	8/7/2021	45 deg. Elbow Size Range: 15mm, 22mm, 28mm, 35mm, 42mm, 54mm
SEN	8/7/2021	90 deg. Elbow Size Range: 15mm, 22mm, 28mm, 35mm, 42mm, 54mm
SKK	8/7/2021	Tube Cap Size Range: 15mm, 22mm
SNN	8/7/2021	Bushing Reducer

		Size Range: 22x15mm, 28x15mm, 28x22mm, 35x22mm, 35x28mm, 42x22mm, 42x28mm, 42x35mm, 54x22mm, 54x28mm, 54x35mm, 54x42mm
--	--	--

# Schedule

Model	BSI Review Date	Description for <b>BS EN 1254-1:1998 certified products</b>
SRR	8/7/2021	Reducing Coupling Size Range: 22x15mm, 28x15mm, 28x22mm, 35x22mm, 35x28mm, 42x22mm, 42x28mm, 42x35mm, 54x22mm, 54x28mm, 54x35mm, 54x42mm
STR	8/7/2021	Equal Tee Size Range: 15mm, 22mm, 28mm, 35mm, 42mm, 54mm
STR-BER	8/7/2021	Both Ends Reduced Tee Size Range: 15x15x22mm, 22x22x28mm
STR-RB	8/7/2021	Reduced Branch Tee Size Range: 22x22x15mm, 28x28x15mm, 28x28x22mm, 35x35x22mm, 35x35x28mm, 42x42x22mm, 42x42x28mm, 42x42x35mm, 54x54x22mm, 54x54x28mm, 54x54x35mm, 54x54x42mm
STR-RE	8/7/2021	Reduced End Tee Size Range: 22x15x22mm, 28x22x28mm
STR-REB	8/7/2021	Reduced Ends & Branch Tee Size Range: 22x15x15mm, 28x22x22mm

Model	BSI Review Date	Description for <b>BS EN 1254-5:1998 certified products</b>
ECC	8/7/2021	Straight Coupler Size Range: 159mm
EEFS	8/7/2021	45 deg. Elbow Size Range: 159mm
EENS	8/7/2021	90 deg. Elbow Size Range: 159mm
ENN	8/7/2021	Fitting Reducer Size Range: 159x76mm, 159x108mm
ERR	8/7/2021	Reducer Coupler Size Range: 159x76mm, 159x108mm
ETE	8/7/2021	Equal Tee Size Range: 159mm

BMP 725675  
19/07/2021 Page 4 of 5



...making excellence a habit.



By Royal Charter

ETR-RB	8/7/2021	Reduced Branch Tee Size Range: 159x159x54mm, 159x159x67mm, 159x159x76mm, 159x159x108mm
--------	----------	--



BMP 725675  
19/07/2021 Page 5 of 5



...making excellence a habit.